

Work Order ID 51106

August 4, 2009 11:03:54 AM



Page 1

Item ID: D3518-1

Accept



Setup Start



Revision ID: B

Stop



Item Name: Strut

Start Date: 8/07/09

Start Qty: 5.00



Cust Item ID:

Required Date: 8/07/09

Req'd Qty: 5.00



Customer:

Reference:

Approvals:

Process Plan: umf

Date: 09-08-09

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3518

Rev B

100



CONVENTIONAL LATHE

0.00

Lathe Conv

Memo

0.00

Conventional Lathe

Turn as per Dwg D3518, 11-Face to Lengh and Drill & Tap.

110



QC2- Inspect parts off machine FAI/FAIB

0.00

QC

Memo

0.00

Quality Control

120



CONVENTIONAL MILLING MACHINE

0.00

Mill Conv

Memo

0.00

Conventional Milling Machine

Drill as per Dwg D3518, 11-Drill 2x .191" holes & 1x .0625" hole

SA 09/08/12

5 0

SA 09/08/12

5 0

SA 09/08/12

5 0

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 51106

August 4, 2009 11:03:54 AM



Page 2

Item ID: D3518-1

Accept



Setup Start



Revision ID: B

Stop



Item Name: Strut

Start Date: 8/07/09

Start Qty: 5.00



Cust Item ID:

Required Date: 8/07/09

Req'd Qty: 5.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

QC2- Inspect parts off machine FAI/FAIB

0.00

5.00 08/08/12

5

0

QC

Memo

0.00

Quality Control

140

QC8- Inspect parts - second check

0.00

5.00 09/08/12

5

0

QC

Memo

0.00

Quality Control

150

Chemical Conversion Coat per QSI005 4.1

0.00

5.00 09/08/13

5

0

HandFinish

Memo

0.00

Hand Finishing

Buff marks off parts M-L 09/08/13

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 51106

August 4, 2009 11:03:54 AM



Page 3

Item ID: D3518-1

Accept



Setup Start



Revision ID: B

Stop



Item Name: Strut

Start Date: 8/07/09 Start Qty: 5.00



Cust Item ID:

Required Date: 8/07/09 Req'd Qty: 5.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00



Powdercoat

Memo

1112260

0.00

Powder Coating

*****Mask threads with AN6 bolt***** START TIME:
2:00pm OVEN TEMPERATURE: 320°F FINISH
TIME: 2:30pm

27 09/08/13 (5)

170

QC3- Inspect Part Finish

0.00



QC

Memo

0.00

Quality Control

8B 09/08/14 (5)

180

Identify as per dwg & Stock Location: GA

0.00



Packaging

Memo

0.00

Packaging

8B 09/08/14 (5)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 51106

August 4, 2009 11:03:54 AM



Page 4

Item ID: D3518-1

Accept



Setup Start



Revision ID: B

Stop



Item Name: Strut

Start Date: 8/07/09

Start Qty: 5.00



Cust Item ID:

Required Date: 8/07/09

Req'd Qty: 5.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

190

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

09/08/18

MF 09-08-17

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

August 4, 2009 11:03:53 AM

Page 1

Work Order ID: 51106

Parent Item: D3518-1RevB

Parent Item Name: Strut


Comments:

Start Date: 8/07/09

Required Date: 8/07/09

Start Qty: 5.00

Required Qty: 5.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
M6061T6H0.875 		Purchased	No			100	f	36.0000	5.7895			
6061-T6 HexBar .875												

<u>Warehouse</u>	<u>Loc Qty</u>	<u>Loc Code</u>
<u>Location</u>		
Main Warehouse		
MAT	36	
110980	36	

5.7 SA 050874

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



#51106 MF 09-08000

DESIGN <i>B</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3518	REV. B SHEET 1 OF 3
DATE 06.10.23		TITLE BASKET (A119) STRUT	SCALE 1:3
A	06.06.21	NEW ISSUE	
B	06.10.23	RE-DESIGN	



D3518-041 STRUT ASSEMBLY

QTY -041	Part Number	Description
X	D3518-041	STRUT ASSEMBLY
2	D2324-5	STRUT PLATE
1	D3518-1	STRUT
1	D3518-3	STAINLESS STEEL BALL JOINT ROD END
2	AN3-13A	BOLT
1	AN316C6R	NUT
4	AN960JD10	WASHER
2	MS21042L3	NUT

51106

NOTES:

- 1) IDENTIFY WITH DART P/N "D3518-041" USING FINE POINT PERMANENT INK MARKER


RELEASED
06.11.17 *[Signature]*

Copyright © 2006 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART

DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3518	REV. B SHEET 2 OF 3
DATE 06.10.23		TITLE BASKET (A119) STRUT	SCALE 1:3

**D3518-1 STRUT****NOTES:**

- 1) MATERIAL: M6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM HEX BAR PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR PER AMS-QQ-A-200/8 (OR AMS 4160) (REF DART MATERIAL SPEC M6061T6H0.875)
- 2) FINISH: ACID ETCH AND ALODINE PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES 0.005 TO 0.010 MAX

RELEASED

06-11-17

Copyright © 2006 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



#51106
mf
09-08-04

DESIGN <i>B</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3518	REV. B SHEET 3 OF 3
DATE 06.10.23		TITLE BASKET (A119) STRUT	SCALE 1:1

SPECIFICATION CONTROL DRAWING



51106

DART P/N	A	B	C	D	E	F	LOAD*	POSSIBLE SUPPLIER
D3518-3	0.375	1.00	0.50	1.938	1.25	3/8-24 UNF, RH	4012	McMASTER-CARR, P/N 2458K14

* Indicated load is Static Radial Load Capacity in lbs

NOTES:

- 1) TYPE: MALE THREADED SHANK CARBON-FIBER-REINFORCED PLASTIC RACE BALL JOINT ROD END
- 2) MATERIAL: ZINC PLATED STEEL HOUSING BALL WITH PTFE LUBRICATED CARBON-FIBER-REINFORCED PLASTIC RACE.
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

RELEASED

06.11.17 *[Signature]*

Copyright © 2006 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.